


ŧ

01abc9022ff03cdab 37590ab90feffde00 FINGERPRINT INFORMATION ₽ ០ \Box 4 ACCESS BY A PERSON PERSONAL INFORMATION ACQUISITION UNIT SECURE MEMORY INFORMATION COMPARATOR TEMPLATE PERSONAL AUTHENTICATION APPARATUS CONTROL 우 COMMU-NICATION UNIT





TODESON TOSHHOOD

		Volus amplaced	
Item	Description	Value employed in the present IA	
	Version 1		
version	Version of the certificate format	V3	
serial Number	Serial number of the certificate assigned by the IA	Assigned in a serial fashion	
signature algorithm Identifier algorithm parameters	Algorithm of the signa- ture of the certificate and parameters thereof	Elliptic curve number/RSA parameters when an elliptic curve is used Key length when RSA is employed	
issuer	IA name (in a distiguished name form)	Name of the present IA	
validity notBefore	Period during which the certificate is valid Start date		
notAfter	Expiration date		
subject	Name which identifies the user	User device ID or ID of the service subject	
subject Public Key Info algorithm subject Public key	Information of the public key of the user Algorithem of the key Key	Elliptic curve/RSA Public key of the user	
Version 3			
authority Key Identifier key Identifier authority Cert Issuer authority Cert Serial Number	tion of the IA Key identification number (octal number)		
subject key Identifier	Used when a plurality of keys are certified	Not used	
key usage (0)digital Signature (1)non Repudiation (2)key Encipherment (3)data Encipherment (4)key Agreement (5)key CertSign (6)cRL Sign	Specifying the purpose of the key (O)for digital signature (1)to prevent repudiation (2)for encryption of the Key (3)for encryption of a message (4)for use in transmission of a symmetric key (5)used to verify the signature of the certificate revolution list	0,1,4, or 6 is used	
private Key Usage Period notBefore notAfter	Period during which the private key stored in the user is valid	Usage period is the same for the certificate, the public key, and the private Key (default)	

issuer Domain Policy subject Domain Policy subject Domain Policy of the policy of the issuer domain policy and the subject domain policy are defined supported Algorithms Attributes of the directory default	authority i-1)
issuer Domain Policy subject Domain Policy subject Domain Policy of the policy of the issuer domain policy and the subject domain policy are defined supported Algorithms Attributes of the directory default	= none
7 Tital Balco of the directory default	
algorithm Identifier intended Usage intended Certificate Policies (X.500) are defined. Used to inform a receiving party of communication of the attributes the direction so that the receiving party can use the direction information	= none
subject Alt Name Alternative name of the user (in the form of GN) not use	ed
issuer Alt Name Not used although this item is included in the certificate format (default = none)	= none
subject Directory Attributes Arbitrary attributes of the user not use	ed
basic Constraints Specifies the public key to be certified	
cA path Len Constraint Indicates whether the public key is used by a user or by a certificate authority to write a signature default = used	by a user
permitted Subtrees base certification is to certify a certification authority (CA)	= none
maximum excluded Subtrees	
policy Constraints requier Explicit Policy inhibit Policy Mapping inhibit Policy Mapping Constraints are described in terms of requirements of explicit policy ID or inhibit policy mapping for the re- maining certification path	
	d. The n list is
Signature of the issuer	

	::::::::::::::::::::::::::::::::::::::	Description	
	Version	Version	
Indis-	Serial Number	Identification Number	
	signature algorithm Identifier	Signature algorithem	
	algorithm parameters	Algorithm Parameters	
pensable Items	Issuer	Name of the identification authority (in the form of a distinguished name)	
	Validity notBefore notAfter	Period during which the certificate is valid Start date Expiration date	
	Subject	Name of the subject to be certificated (in a DN form)	
	subject Template Info	Template information	
Extended Items	encrypt Type encrypt Unique ID	encrypt Type The unique ID or the certificate number of a public key certificate	
	encryption Algorithm parameter	used for encryption • Algorithm • parameter	
	validity subject Template Source subject Template	Validity period (start date, expiration date) Type of the template Template	
	Subject PKC info	Information about the public key certificate	
	subject PKC serial Number	of the subject	
	subject PKC Unique ID	Unique ID of the subject of the subject public key certificate	
Itellia	Issuer Unique ID	Unique ID of the issuer	
	Subject Unique ID	Unique ID of the subject	
	Public Key Certificate	Public key certificate	
	Issuer Alt Name	Alternative name of the issuer	
	subject Directory Attributes	Personal information (encrypted as required) information used to authenticate subject Age, sex, etc.	
	Valid Count	Number of times the certificate is allowed to be used	
	Control Table Link Info	Link information describing group information	
	Ctl Tbl Location	Location of a link information control toble (UDI ID address attail)	
	Ctl Tbl Unique ID	table (URL, IP address, etc.) • Identification number of the link information	
Indispen- sable	IDA Signature	Signature of the IDA	

FIG. 6A




FIG. 6B




FIG. 6C




FIG 7

PUBLIC KEY USED TO ENCRYPT TEMPLATES	EXAMPLES OF MANNERS IN WHICH TEMPLATE INFORMATION STORAGE IDC IS USED
PUBLEC KEY OF A USER OR A USER DEVICE	TO IDENTIFY AN AUTHORIZED USER OF A USER DEVICE (SUCH AS A PC) ON THE BASIS OF AN IDENTIFICATION CERTIFICATE OF THE USER
PUBLIC KEY OF A SERVICE PROVIDER	USED BY A SERVICE PROVIDER TO IDENTIFY A PARTICULAR USER SUCH AS A USER TO WHOM SERVICE IS TO BE PROVIDED, ON THE BASIS OF AN IDENTIFICATION CERTIFICATE (IDC) OF THE USER
PUBLIC KEY OF AN IDENTIFICATION AUTHORITY	IN DATA TRANSMISSION AMONG VARIOUS TERMINALS, A SENDER OR A RECEIVER IDENTIFIES

FIG. 8A




FIG. 8B




FIG. 9







FIG. 10











FIG. 14






FIG. 16





FIG. 17







FIG. 19






FIG. 21A




FIG. 21B






FIG. 21C











FIG. 24






FIG. 26




FIG. 27





FIG. 28






FIG. 30




FIG. 31




FIG. 32




FIG. 33

USER ID	IDENTIFICATION CERTIFICATE (IDC) IDENTIFIER
ABC0001	CDE00021
ABC0002	CDE00027
ABC0003	CDE03211
:	:
BBC0231	EED02333

DATA TYPE	
TVDE OF DELLING BALLAN	
TYPE OF DEALING POLICY	
PERIOD DURING WHICH DEALING POLICY IS VALID	
CONTENT ID	
CONTENT PROVIDER ID	
DEALING POLICY ID	
VERSION OF THE DEALING POLICY	
AREA CODE	
USABLE DEVICE CONDITIONS	
USERS PERMITTED TO USE THE CONTENT	
IDC IDENTIFIER LIST	-711
SERVICE PROVIDER ID	
UCP GENERATION MANAGEMENT INFORMATION	712
MAXIMUM ALLOWABLE NUMBER OF SECONDARY DISTRIBUTIONS	713
NUMBER OF RULES	
RULE ADDRESS	
RULE NUMBER	
RULE 1 TYPE OF PERMITTED USAGE	
i i	
: :	
RULE NUMBER	
RULE N TYPE OF PERMITTED USAGE	
:	
(INDICATION OF WHETHER THE SIGNATURE HAS BEEN VERIFIED)	
PUBLIC KEY CERTIFICATE	
SIGNATURE	

RULE NUMBER	PERMITTED USAGE	PERIOD	NUMBER OF TIMES CONTENT IS USED	COPY
1		NOT LIMITED	NOT LIMITED	_
2	PLAYBACK	LIMITED	NOT LIMITED	_
3		NOT LIMITED	LIMITED	_
4		NOT LIMITED	NOT LIMITED	NOT LIMITED
5		LIMITED	NOT LIMITED	NOT LIMITED
6		NOT LIMITED	LIMITED	NOT LIMITED
7		NOT LIMITED	NOT LIMITED	
8	COPY	LIMITED	NOT LIMITED	SCMS
9		NOT LIMITED	LIMITED	
10		NOT LIMITED	NOT LIMITED	
11		LIMITED	NOT LIMITED	OTHERS
12		NOT LIMITED	LIMITED	
13	CHANGING OF PERMITTED USAGE			
14	REDISTRIBUTION			
15	UPGRADE TO AN ALBUM			
16	PERMISSION OF TRANSFERRING MANAGEMENT			

	DATA TYPE	
TYPE OF PRICE INFORMATION		
PERIOD IS VALID	DURING WHICH THE PRICE INFORMATION	
	CONTENT ID	
	SERVICE PROVIDER ID	
	PRICE INFORMATION ID	
VE	RSION OF THE PRICE INFORMATION	1
	AREA CODE	
	USABLE DEVICE CONDITIONS	
USEF	S PERMITTED TO USE THE CONTENT	
	IDC IDENTIFIER LIST	~72
	CONTENT PROVIDER ID	
	DEALING POLICY ID	
	NUMBER OF RULES	
	RULE ADDRESS	
RULE 1	RULE NUMBER	
:	:	
RULE N	RULE NUMBER	
	: :	
	:	
(INDIC HAS	ATION OF WHETHER THE SIGNATURE BEEN VERIFIED)	
	PUBLIC KEY CERTIFICATE	
	SIGNATURE	

FIG. 37






FIG. 38

	1
DATA TYPE	
TYPE OF USAGE PERMISSION CONDITION INFORMATION	
PERIOD DURING WHICH THE USAGE PERMISSION CONDITION INFORMATION IS VALID	
CONTENT ID	
ALBUM ID	
ENCRYPTION PROCESSING UNIT ID	
USER ID	
CONTENT PROVIDER ID	
DEALINGF POLICY ID	
VERSION OF DEALING POLICY	
SERVICE PROVIDER ID	
PRICE INFORMATION ID	
VERSION OF PRICE INFORMATION	
ID OF USAGE PERMISSION CONDITION INFORMATION	
RULE NUMBER OF PERMISSION FOR PLAYBACK (USAGE)	
PERMITTED USAGE NUMBER	
NUMBER OF TIMES THE CONTENT IS ALLOWED TO BE FURTHER PLAYED BACK	
PERIOD DURING WICH THE PLAYBACK PERMISSION IS VALID	
RULE NUMBER OF PERMISSION FOR COPYING (USE)	
USAGE PERMISSION NUMBER	
NUMBER OF TIMES THE CONTENT IS ALLOWED TO BE FURTHER COPIED	
UCS GENERATION MANAGEMENT INFORMATION	~732
NUMBER OF TIMES UCS IS ALLOWED TO BE SECONDARILY DISTRIBUTED	~733
IDC IDENTIFIER LIST	~731
ID OF THE ENCRYPTION PROCESSING UNIT HAVING PERMISSION IN TERMS OF PLAYBACK	

FIG. 39












FIG. 42



. .










FIG. 47A




FIG. 47B




FIG. 48A




FIG. 48B




FIG. 49A




FIG. 49B




FIG. 50A






FIG. 50B



CERTIFICATE OF A PUBLIC KEY USED IN THE SERVICE






FIG. 53







FIG. 54

PRECONDITIONS:



TODEBO" TOSHHOGO FIG. 55





END

<u>ල</u>

A REPRODUCTION

IS A REPRODUCTION COMMAND ISSUED?

YES

S325







FIG. 58


PRECONDITION:








COSTANCE CONTRA





PRECONDITIONS:

AN IDC OF INTEREST HAS NOT BEEN REGISTERED IN THE USER DEVICE

•THE USER DEVICE HAS NEITHER A PKC NOR A PAIR OF KEYS BUT THE USER DEVICE CAN CREATE THEM • AN OFF-LINE PROCEDURE NEEDED TO ISSUE AN IDC HAS BEEN PERFORMED, AND INFORMATION (PIN, TEMPLATE, OR SIGNATURE ENCRYPTED USING A PRIVATE KEY) USED TO CHECK WHETHER A TEMPLATE SUPPLIER IS IDENTICAL TO AN APPLICANT HAS BEEN DETERMINED







89 66 /









FIG. 66










FIG. 70




FIG. 71

	Version	Description Version
Indis- pensable Items	Serial Number	Identification Number
	signature algorithm Identifier	Signature algorithm
	algorithm parameters	Algorithm Parameters
	Issuer	Identification authority name (in the form of a distinguished name)
	Validity notBefore notAfter	Validty period • Start date • Expiration date
	Subject	Subject Name (in a DN form)
	subject IDA Info subject IDA serial Number subject IDA Unique ID	Information about the identification cartificate of the subject • Certificate number of the identification certificate of the subject • Subject unique ID of the identification cerificate of the subject
	subject PKC info subject PKC serial Number	Information about the public key certificate of the subject Certificate Number of the public key certificate of the subject
	subject PKC Unique ID	 Subject unique ID of the public key certificate of the subject
Indispen- sable	IDA Signature	Signature of IDA

FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76




FIG. 77





FIG. 78








FIG. 80A




FIG. 80B




FIG. 81







FIG. 82

FOUNDS FONTAGOOD











SPT PUBLIC KEY (DAT OF OF SPT OF SPT

T PUBLIC KEY
OF IDA
T PRIVATE KEY
OF IDA

CATT OF CA CATT PRIVATE KEY OF CA




(CA) T PRIVATE KEY OF CA CATT PUBLIC KEY (ÚÒ) → PRIVATE KEY OF IDA DAT PUBLIC KEY SP) THIVATE KEY OF SP SP)TT PUBLIC KEY



CA) TT PRIVATE KEY OF CA CAT PUBLIC KEY (DA) T PRIVATE KEY OF IDA PUBLIC KEY OF IDA SP) T PRIVATE KEY OF SP SP-T PUBLIC KEY

FIG. 87



PRIVATE KEY OF IDA PUBLIC KEY OF IDA # (i)

SP)TT PRIVATE KEY

SP-T PUBLIC KEY

CAT PUBLIC KEY

CA π PRIVATE KEY OF CA